



Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

MAR 08 1993

93-DOE-02754

Mr. Martin Hestmark
U.S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80202-2405

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530


Gentlemen:

Please find enclosed two copies of Standard Operating Procedure (SOP) GT:30 entitled, "In-Situ Characterization for Radionuclides Using High Purity Germanium Detectors". This SOP replaces the prior version of SOP GT:30 entitled, "In-Situ Characterization for Radionuclides" transmitted to the Colorado Department of Health (CDH) and U.S. Environmental Protection Agency (EPA) on October 26, 1992. The revised SOP incorporates both EPA and CDH comments on the draft SOP contained in letters dated September 16 and 23, 1992, respectively.


Responses to your September 16 and 23, 1992, comments have also been included as an enclosure.

Any questions or concerns regarding the revised SOP and responses to comments should be directed to Bruce Thatcher of my staff at 966-3532.

Sincerely,


James K. Hartman
Assistant Manager for Transition
and Environmental Restoration

Enclosures



ADMIN RECORD

M. Hestmark & G. Baughman
93-DOE-02754

2

MAR 08 1993

cc w/Enclosures:

J. Ciocco, EM-453

R. Schassburger, ERD, RFO

B. Thatcher, ERD, RFO

B. Birk, ERD, RFO

S. Grace, ERD, RFO

J. Pepe, ERD, RFO

S. Surovchak, ERD, RFO

M. Van der Puy, EPD, RFO

K. Izell, OCC

R. Benedetti, EG&G

M. Arndt, EG&G

M. McHugh, EG&G



Department of Energy

ROCKY FLATS OFFICE
P.O. BOX 928
GOLDEN, COLORADO 80402-0928

MAR 08 1993

8HWM-FFR

MAR - 8 1993

93-DOE-02754

Mr. Martin Hestmark
U.S. Environmental Protection Agency, Region VIII
ATTN: Rocky Flats Project Manager, 8HWM-RI
999 18th Street, Suite 500, 8WM-C
Denver, Colorado 80202-2405

Mr. Gary Baughman
Hazardous Waste Facilities Unit Leader
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

Gentlemen:

Please find enclosed two copies of Standard Operating Procedure (SOP) GT:30 entitled, "In-Situ Characterization for Radionuclides Using High Purity Germanium Detectors". This SOP replaces the prior version of SOP GT:30 entitled, "In-Situ Characterization for Radionuclides" transmitted to the Colorado Department of Health (CDH) and U.S. Environmental Protection Agency (EPA) on October 26, 1992. The revised SOP incorporates both EPA and CDH comments on the draft SOP contained in letters dated September 16 and 23, 1992, respectively.

Responses to your September 16 and 23, 1992, comments have also been included as an enclosure.

Any questions or concerns regarding the revised SOP and responses to comments should be directed to Bruce Thatcher of my staff at 966-3532.

Sincerely,

James K. Hartman
Assistant Manager for Transition
and Environmental Restoration

Enclosures

ADMIN RECORD

M. Hestmark & G. Baughman
93-DOE-02754

2

MAR 08 1993

cc w/Enclosures:

J. Ciocco, EM-453
R. Schassburger, ERD, RFO
B. Thatcher, ERD, RFO
B. Birk, ERD, RFO
S. Grace, ERD, RFO
J. Pepe, ERD, RFO
S. Surovchak, ERD, RFO
M. Van der Puy, EPD, RFO
K. Izell, OCC
R. Benedetti, EG&G
M. Arndt, EG&G
M. McHugh, EG&G